

# ADVANCE TECHNOLOGY

*we will be the best business partner for you*

PT Asia, Thailand Co.,Ltd.

15/648 Moo 10, Samrong Nua,

Muang, Samutprkarn 10270

Thailand

Tel: +66 (0)2 759 2271, 0717

Fax: +66 (0)2 380 5265, 759 3569

Email : [info@ptasia.biz](mailto:info@ptasia.biz)

Website : [www.ptasia.biz](http://www.ptasia.biz)

BUSINESS AREA

PRODUCT



Automatic stretch wrapping series



# A Automatic stretch wrapping



Stainless steel cover


- **Machine - In line**

We have the Model SW-250A and 300A.

The machine hold the tray for feeding so we absolutely need any tray to use this machine.

The food contents should be inside tray as the side belt hold the tray when moving in each step in the machine. This machine can pack continuously with very high speed, high speed up to 40ppm at SW-250A and 25ppm at SW-300A but it depends on the tray size. You can pack the grain, fish, mushroom, meat, fruits, chicken at the high speed with this style. If you want to joint feeding conveyor for Auto-feeding, this machine can supply the signal power to that conveyor.

- Layout



- Sample Image



# S

## pecification

- Automatic stretch wrapping machine-in line

ITEM	SW-250A	SW-300A
Style	Automatic	Automatic
Packing Speed	Max. 40PPM	Max. 25PPM
Tray length	150~250mm	200~300mm
Tray width	90~170mm	130~210mm
Tray height	15~60mm	15~60mm
Film thickness	11~35microns	11~35microns
Film roll width	300~450mm	350~500mm
Power supply	220VAC*1PH *50/ 60HZ*2.2KW	220VAC*1PH*50/ 60HZ*2.2KW
Machine dimension	2700mmLx790mmW x1300 mmH	3000mmLx840mmW x1300mmH
Machine weight	300Kgs	350Kgs
Optional	Input conveyor. Stainless steel cover Labeling system	