

VERTICAL BAND SEALING MACHINE
เครื่องซีลสายพานแนวตั้ง



FRL – 600B SS

STAINLESS STEEL*

FRL – 600B SS

VERTICAL BAND SEALING MACHINE

Primary Technological Specifications

Seal speed : 0 - 13 m/min

Thickness of material : 0.04 - 0.5 mm (one layer)

Width for bidding : 13mm (5 - 13mm should be specified while order)

Length of seal : Un limited

Temperature range 0 - 300 oC

Adjustable range for the height of bag sealing : 140 - 600mm

Maximal loading of conveyor belt : 20 Kgs the maximal capacity of each bag : 5 Kgs

Power supply : 220V/50Hz

Cooling blower fan : 24V DC 11W

Heating of print wheel : 100W x 2 pieces

Power of complete machine : 1030W

Exterior size : 1350L x 520W x 1280H (mm)

Package size : 1320L x 620W x 1440H (mm)


Net weight : 108 Kgs

Gross weight : 185 Kgs

Feature and Applicable range


FRL-600 B is a perfect equipment for standing sealing with one layer plastic film in currently, as well as for aluminum-plastic, paper-plastic and composite plastic packaging bag. The unit has reliable sealing quality, goodly and lank sealing apperance, strong applicability, easy for operation, maintaining and servicing, low noise, easy for removing it, high efficiency and long working life, it is a high quality sealing machine which sealing tape could be used with metal band or polyte trafluoroethylene fire resistant cotton tape (it should be specified while order) and each parts could be adjusted freely. The unit is equipped wich reliable thermistor that could do some adjustment according with the material or thickness of plastic bag, the temperature you need could constant automatically and could be used continuously.

VERTICAL BAND SEALING MACHINE



- | | |
|--|--|
| 1. Control Panel | 13. DC Machine |
| 2. Deciliter Knop of Heat Block | 14. Cooling Block |
| 3. Deciliter Knop of Roller Wheel | 15. Driver Wheel |
| 4. Deciliter Knop of Cooling Black | 16. Nylon Guide Tape |
| 5. Figure design wheel | 17. Guide Tape Wheel |
| 6. Deciliter Knop of Figure Design Wheel | 18. Elevated Screws of Conveyor Belt |
| 7. Adjusting Knob of Sealing Tape | 19. Elevated Handwheel of Conveyor Belt |
| 8. Sealing Gauge | 20. Elevated Gear Case of Conveyor Belt |
| 9. Driver Wheel | 21. Elevated Polish Rod of Conveyor Belt |
| 10. Sealing Tape | 22. Conveyor Belt Frame |
| 11. Heat Block | 23. Lettering Devices |
| 12. Rolling Wheel | |

VERTICAL BAND SEALING MACHINE



- 24. Skate of Follower Wheel
- 25. Cooling Blower Fan
- 26. Retarded Drive Housing
- 27. Drive Gear
- 28. Drive Gear of Typing Wheel
- 29. Drive Gear of Ink Roller
- 30. Lettering Cooling Blower Fan
- 31. Control Circuit Board for Speed and Temperature
- 32. Transformer of Cooling Blower Fan
- 33. DC Machine
- 34. Drive Wheel of Conveyor Belt
- 35. Control Circuit Board for Printing Inking Typing
- 36. Transformer for Control Circuit Board for Printing Inking Typing

VERTICAL BAND SEALING MACHINE

PT Asia (THAILAND) Co.,Ltd.

PT Asia Ltd.

15/648 Moo 10, Samrong Nua, Muang, Samutprakarn 10270 THAILAND

Phone : +66 2 759 2271, 0717, 1937, 2964

Fax : +66 2 380 5265, 759 3569

Email : info@ptasia.biz

Website : <http://www.ptasia.biz>