

IKonMac EURL

366 Route du Macon La Batie Montgascon 38110 France

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION, REVISION NUMBER AND DATE

Product Name : HIRES OIL BLACK INK

Product Code : LMOPI11*KK** (S/IDNK/****) * = Variable pack type & size codes ...

Revision No : G

Date : 06/07

2. COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

<u>Chemical Name</u>	<u>%</u>	<u>CAS Number</u>	<u>EEC No</u>	<u>Hazard Symbol</u>	<u>Risk Phrases</u>
Iso Alkanes (C13-16)	15 - 60	68551-20-2	271-370-0	St Andrews Cross	R65, 66
Petroleum Distillates	5 - 50	64742-46-7	265-148-2	St Andrews Cross	R65, 66
		64742-47-8	265-149-8		
Dispersing Agent	< 5	-	-	St Andrews Cross	R36/38, 43

R36/38 = Irritating to the eyes and skin; R43 = May cause sensitisation by skin contact; R65 = Harmful: may cause lung damage if swallowed; R66 = repeated exposure may cause skin dryness or cracking.

The remaining ingredients, including the dye, do not present a health hazard within the meaning of the EC/ CHIP regulations.

3. HAZARDOUS IDENTIFICATION

Classification (CHIP) : Harmful and Irritant

Main Health Hazards : May cause lung damage if swallowed.

Not expected to present any hazards to health under normal conditions of expected use.

4. FIRST AID

Inhalation : Remove casualty to fresh air.

Skin Contact : Wash from skin using soap and water.

Eye Contact : Flush thoroughly with water. If soreness or redness persists, seek medical attention.

Ingestion : DO NOT induce vomiting; keep at rest. Seek prompt medical attention.

5. FIRE FIGHTING MEASURES

Flammability : Product is not classed as flammable.

Combustion products : Oxides of Carbon.

Extinguishing media : In the event of a fire use CO2, Foam, Dry Powder, or Vapourising Liquid.

Do not use :

6. ACCIDENTAL RELEASE MEASURE

Mop or soak up spillage's in absorbent material. Dispose of in accordance with Local Authority Regulations.

7. HANDLING AND STORAGE

Handling : Avoid prolonged skin contact. Wear gloves and safety glasses if splashing is likely.

Fire Prevention : Avoid heat and sources of ignition

Storage : Normal cool warehouse conditions. Keep in closed container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection : Keep work area well ventilated.
Eye and Skin protection : Wear safety glasses and gloves if splashing is likely.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION (Continued)

OCCUPATIONAL EXPOSURE LIMITS :

Substance listed min) in EH40/-- mg/m ³	Long term (8 Hrs)		Short term (10
	ppm	mg/m ³	ppm
Iso Alkanes (C13-16)		1000	
Petroleum Distillates (Middle)		1000	
Dispersing Agent (Oil Mist)		5 (Oil Mist)	10

9. PHYSICAL AND CHEMICAL PROPERTIES (n.d.a = No data available)

Form : Coloured liquid	pH : n/a
Boiling Point: n.d.a.	
Flashpoint : n/a	Melting Point : n.d.a
Vapour Pressure : ~0.01 mm Hg @ 20°C	Vapour Density : > 1.0 (Air = 1)
Solubility in Water : Partially miscible in water	Density : Approx. 1.0
Autoignition Point : > 200 °C	Explosive Limits: Lower - n.d.a.

10. STABILITY AND REACTIVITY

Chemical reactivity : Stable under normal conditions

Decomposition products : Carbon Oxides

Materials / conditions to avoid : None

11. TOXICOLOGICAL INFORMATION

LD₅₀ : Acute / oral / rat: > 5000mg/kg

12. ECOLOGICAL INFORMATION

Iso Alkanes (C13-16): Biodegrades slowly; No acute toxicity to aquatic organisms expected.

Petroleum Distillates (Middle): Readily biodegradable; No acute toxicity to aquatic organisms expected.

Dispersing Agent: No data available.

13. DISPOSAL CONSIDERATIONS

Consult Local Authority for regulations regarding waste disposal

14. TRANSPORT REGULATIONS

Proper shipping name : Not applicable	Packing group : Not applicable
UN Number : Not applicable	IMDG class : Not applicable
IMDG code : Not applicable	RID/ADR : Not applicable
ICAO/IATA class : Not applicable	Hazard warning sign : Not applicable
Marine pollutant :	

15. REGULATORY INFORMATION

CHIP labelling -



Symbol :
Alkanes & Petroleum Distillates
St.Andrews Cross

Hazard : Harmful & Irritant

Contains : Iso

Risk Phrases: R43, 65, 66
Safety Phrases: S24, 46

Other suggested labelling : R43 = May cause sensitisation by skin contact; R65 = Harmful: may cause lung damage if swallowed; R66 = repeated exposure may cause skin dryness or cracking
S24 = Avoid contact with skin; S 46 = if swallowed, seek medical advice immediately and show container or label.

16. OTHER INFORMATION

This safety data sheet has been updated to comply with CHIP regulations. The information is based solely on the data provided by the suppliers of the materials used and/or recognised technical sources, not on the mixture itself and is believed to be correct as of this date. No warranty is expressed or implied regarding the accuracy of the data.

iKonMac *co Ltd*

Universal Software Park, 879 Zhongjiang Road, Shanghai 200333, PRC

IKonMac *EURL*

Lawes Clive

**366 Route du Macon La Batie Montgascon 38110 France Tel :0033 474
888 623**

clive@ikonmac.com

skype clive.lawes7 video