


PD-380E

CODING & MARKING

TABLE-TOP IMPRINTER


PRINT-DRY INK SYSTEM COMPACT! CLEAN ! SHARP !



- Print-Dry Solid Ink system, Clean & compact.
- R & T Types Double-use Printing Hub
- All Electronic P.C.B. Design, speed up to 300 SPM.

MAIN PARTS

- ① CONTROLL PANNEEL
- ② FEEDING BELT
- ③ GUID
- ④ SAPARATOR WHEEL
- ⑤ PRESSURE PAD
- ⑥ SENSOR
- ⑦ SOLID-INK SYSTEM
- ⑧ PRINT HEAD (HUB)
- ⑨ FEEDING GAP ADJ
- ⑩ COLLECTER




FEATURE:

- All electronic controll, high speed up to 300 BPM, position easy adjustable.
- The advance technology print-dry INKING system.
- R & T types can be use in some types holder.



- Double-use printing head, R & T types can be use in one.




- Max printing area: 5 line × 10 latters, R & T types size 2m/m, 2.5m/m, 3m/m available.




- MARKO-TECH new development print -dry 'INK roller.

CONTROL BOX

- ① COUNTER
- ② MASTER
- ③ RUN
- ④ TEMP
- ⑤ HEATER ADJ & ON-OFF
- ⑥ POSITION
- ⑦ FUSE



- All electronic controll, easy adjustment & operation.



- STEPIING CLUTCH

- Special stepping clutch, high performance

SPECIFICATION

SPEED: Under 300 pcs/min (Depend on Object Size)

OBJECT SIZE: Width 30m/m 5 200m/m
Length: 55m/m 5 380m/m

PRINTING POSITION: With in 60m/mW x 250m/mL

PRINTING AREA:

MAX: R Type 15 5 Line x 85 10 Letters

T Type 15 5 Line x 85 10 Letters

TYPE SIZE: R&T Zn Types. 2m/m, 2.5m/m, 3m/m Available

PRINTING HUB: Double Use Type
HOLDER (R&T Types)

INKING SYSTEM:

H — Both Solid & Liquid INK Roller Can be Used.

W — Liquid INK Roller Only.

POWER: AC110V/220V SINGLE Phase x 200W 50/60 Cycle.

MACHINE SIZE:

300W x 260H x 440L (m/m)

ACCESOSRY: (1) Zn Types
(2) INK Roller
(3) Spare Parts & Tool Box

CODING & MARKING

BEST CODING WITH BEST SERVICE

PT ASIA, THAILAND COMPANY LIMITED

PT ASIA LIMITED PARTNERSHIP

15/648 MOO 10, SAMRONG NUA, MAUNG, SAMUTPRAKARN 10270

EMAIL : INFO@PTASIA.BIZ

WWW.PTASIA.BIZ